



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

MAR 11 2003

Ms. Christine G. Castleberry  
Regulatory Affairs & Quality  
Assurance Manager  
Syncor Radiation Management  
6045 Cochran Road  
SOLON OH 44139-3303

Re: K024284  
Trade/Device Name: Victoreen Thebes II  
Model 7020  
Regulation Number: 21 CFR 892.5050  
Regulation Name: Medical charged-particle  
radiation therapy device  
Regulatory Class: II  
Product Code: 90 IYE  
Dated: October 11, 2002  
Received: December 23, 2002

Dear Ms. Castleberry:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (sections 531-542 of the Act); 21 CFR 1000-1050.


This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at one of the following numbers, based on the regulation number at the top of the letter:

8xx.1xxx	(301) 594-4591
876.2xxx, 3xxx, 4xxx, 5xxx	(301) 594-4616
884.2xxx, 3xxx, 4xxx, 5xxx, 6xxx	(301) 594-4616
892.2xxx, 3xxx, 4xxx, 5xxx	(301) 594-4654
Other	(301) 594-4692

Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97) you may obtain. Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>.

Sincerely yours,



Nancy C. Brogdon  
Director, Division of Reproductive,  
Abdominal and Radiological Devices  
Office of Device Evaluation  
Center for Devices and Radiological Health

Enclosure

510(k) Number (if known):

K024284Device Name: Victoreen Thebes II, Model 7020**Indications For Use:**

The Victoreen Thebes II, Model 7020, is used to perform dose distribution measurements and analyses on radiation therapy beams. These measurements and analyses may be used for acceptance testing, beam trimming, routine beam checks and quality assurance measurements.

The Victoreen Thebes II, Model 7020, consists of a linear detector array consisting of 47 waterproof, vented air ionization chambers; a multi-channel electrometer with 48 independent electrometers; and Windows based software that acquires beam profile data from the detector array and multi-channel electrometer, displays the measured beams one dimensional dose distribution profile graphically and performs beam profile analysis.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF  
NEEDED)

\_\_\_\_\_  
Concurrence of CDRH, Office of Device Evaluation (ODE)

(Optional Format 3-10-98)

Prescription Use \_\_\_\_\_

✓

Nancy C. Brogdon  
(Division Sign-Off)Division of Reproductive, Abdominal,  
and Radiological Devices

510(k) Number \_\_\_\_\_

K024284